

From: [Debra M. Beckwith](#)
To: [BR](#)
Subject: Bridge Advertisement (DSI 23-025) Deck Thickness for Single Span Bridges
Date: Monday, August 14, 2023 3:11:59 PM

The [EPG](#) has been updated as described below:

Implementation Statement: Effective immediately for design checks not started.

(The Implementation Statement is a recommendation by the Development Section. The SPM is responsible for the level of implementation for any particular job.)

Revision Date	Items Revised	Description of Change
Aug. 2023	EPG: 751.10.1.5 & 6	In March of 2021, guidance was added to allow the use of 8-inch decks for single-span bridges in anticipation of the release of the single span standards. This update clarifies that an 8-inch thickness is <i>only</i> allowed for single span bridges <i>with full-depth cast-in-place decks</i> . There are concerns with the durability of partial-depth decks with less than 5 1/2-inch cast-in-place topping over the precast panels.
	Bridge Standard Drawings: NA	
	MicroStation Cells: NA	
	Std. Specifications: NA	
	Standard Plans: NA	
	Bridge Special Provisions: NA	

Follow links above for more information, or to view more details about this (or any) revision, use the [Revision Index Database](#), located under Completed Revisions on Development's Sharepoint page.

Instructions:

Under Tables (left-hand side) double-click on RevisionRecords.

Click on the link under the Effective Date to access documentation for the completed revision.

Debra M. (Debbie) Beckwith

Structural Specialist – Development Section

Missouri Department of Transportation

Central Office – Bridge Division

105 W. Capitol Ave., P.O. Box 270, Jefferson City, MO 65102

573-522-8718

www.modot.org

Debra M. (Debbie) Beckwith

Structural Specialist

Development Section
Bridge Division
MoDOT- 105 West Capitol Ave
573-522-8718